



2-26® Multi-Purpose Precision Lubricant, 5 Gal No. 02009 | Item# 1003169

Product Description Plastic safe lubricant, penetrant and corrosion inhibitor

that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores

resistance values and helps stop current leakage.

Applications Connectors, relays, circuit breakers, transformers,

switchgear, motors, generators, controls, instruments, communication assemblies, electronics, alarm systems, starters, tubing, castings, gears, weld rod, wire, fixtures,

dies, jigs, shim stock, chucks.

Unit Package Description 5 Gallon Pail

Brand CRC

Generic Description 1 Multi-Purpose Precision Lubricant Plastic Safe

Net Fill 5 Gal

UPC Code 078254020099

Unit Dimensions 13.75H x 11.25W x 11.25D in

Units Per Case 1

Case Dimensions 13.8H x 11.3W x 11.3D in

Cases Per Pallet 24
Case Weight 36 lbs

Appearance Amber Liquid

Base Type Petroleum Distillate

Flash point (F) 200°F Flash point (C) 93°C

Flammability Class - CPSC Combustible

Spec Gravity Concentrate 0.82 Plastic Safe Yes

Film Type Thin, Non-Drying
Film Thickness 0.025 to 0.075 Mils

Evaporation Rate Slow

Dielectric Strength 51,300 Volts

Last revised: 10/28/2020

Page 1 of 2







Working Temp (F) Max 250°F Working Temp (C) Max 121.1°C

Propellant None NSF Category Code H2

NSF Number 017223

Military Specification Not Determined Number

Federal Specification V-V-P-216

Number

DOT Proper Shipping Name Not Regulated

VOC % (Consumer Product 0

def)

VOC g/L (Consumer 0

Product def)

VOC lbs/gal (Consumer 0

Prod def)

VOC Category Multi-Purpose Lubricant

Removal (How To) Remove with Petroleum Distillates.

Last revised: 10/28/2020

Page 2 of 2

