



## Screwloose® Super Penetrant, 11 Wt Oz

No. 03060 | Item# 1003322 | Case# 1003321

### Product Description

A no-compromise penetrant that attacks corrosion to free corroded fasteners & mechanical components. A super-fast, powerful, concentrated penetrating solvent that loosens rust scale & corrosion. Instantly penetrates minute & tightly fitted crevices.

### Applications

Nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.

### Unit Package Description

16 Ounce Aerosol

### Brand

CRC

### Generic Description 1

Penetrating Oil

### Net Fill

11 Wt Oz

### UPC Code

078254030609

### Unit Dimensions

7.75H x 2.63W x 2.63D in

### Units Per Case

12

### Case Dimensions

8.1H x 8.3W x 11.1D in

### Cases Per Pallet

133

### Case Weight

10 lbs

### I 2 of 5 Code

30078254030600

### Appearance

Light Amber Liquid

### Base Type

Petroleum Distillate

### Flash point (F)

141°F

### Flash point (C)

61°C

### Flammability Class - CPSC

Flammable

### Spec Gravity Concentrate

0.82

### Plastic Safe

Yes

### Film Type

Thin, Non-Drying

### Evaporation Rate

Slow

### Dielectric Strength

60,000 Volts

### NLGI Grade

Not Determined

### Working Temp (F)

Max 300°F

Last revised: 7/30/2019

Page 1 of 2



**Chemical Solutions to Keep You Moving™**

f t+ d+ in+ • 800-272-8963 • [crcindustries.com](http://crcindustries.com)



|                                 |  |
|---------------------------------|--|
| Working Temp (C)                | Max 148.9°C                                    |
| Propellant                      | Carbon Dioxide                                 |
| NSF Category Code               | H2   |
| NSF Number                      | 017402   |
| Aerosol Flammability Level      | III  |
| DOT Proper Shipping Name        | Aerosols, Flammable, Limited Quantity          |
| VOC % (Consumer Product def)    | 24.2   |
| VOC g/L (Consumer Product def)  | 198.4  |
| VOC lbs/gal (Consumer Prod def) | 1.65   |
| VOC Category                    | Penetrant                                      |
| Removal (How To)                | Remove with mineral spirits or degreasers etc. |