



Food Grade Dielectric Grease, 3.3 Wt Oz

No. 03085 | Item# 1003353 | Case# 1003352

Product Description	Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.
Applications	Gaskets, transfer belts, conveyor belts, motors, plant machinery and handling equipment, rubber moldings, high temperature, low load, or high rpm slides, rollers, wheels, gears, chains & hoists
Unit Package Description	6 Ounce Pressurized Tube with Select-a-BEAD® Nozzle
Brand	CRC
Generic Description 1	Non Curing Silicone Lubricating Compound
Net Fill	3.3 Wt Oz
UPC Code	078254030852
Unit Dimensions	8.75H x 2.25W x 2.25D in
Units Per Case	12
Case Dimensions	8.75H x 7.37W x 7.37D in
Cases Per Pallet	120
Case Weight	6 lbs
I 2 of 5 Code	30078254030853
Appearance	Opaque White Gel
Base Type	Silicone
Flash point (F)	>572°F
Flash point (C)	>300°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.97
Plastic Safe	Safe on Most Plastics (Test small area)
Film Type	Non-Curing Silicone Paste
Dielectric Strength	>450 Volts/Mil
NLGI Grade	2
Working Temp (F)	-70 to 400°F

Last revised: 9/5/2019

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t+ in • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (C)	-56.7 to 204.4°C
Propellant	Nitrogen
NSF Category Code	H1
NSF Number	151608
Military Specification Number	Meets requirements of SAE-AS-8660
Federal Specification Number	FDA-CFR-21-178.3570
Aerosol Flammability Level	I
DOT Proper Shipping Name	Aerosols, Non-Flammable, Limited Quantity
VOC % (Consumer Product def)	<1
VOC g/L (Consumer Product def)	<0.01
VOC lbs/gal (Consumer Prod def)	<0.1
VOC Category	Not Regulated
Removal (How To)	Remove with Petroleum Distillates.

Last revised: 9/5/2019
Page 2 of 2