



## Product Discontinued

### Safety Anti-Slip Paint, Yellow, 12 Wt Oz (Discontinued)

No. 18025 | Item# 1005194 | Case# 1005193

Product Description	Anti-Slip Coating which produces a slip resistant coating which is resistant to oil, gas, and most chemicals. Use as a finish coat and recoat every 2-4 months based on traffic.
Color	Yellow
Applications	Interior and exterior use on wood, metal, concrete, asphalt, railings, stairs, tools, boat docks, ramps etc.
Unit Package Description	16 Ounce Aerosol
Brand	CRC
Generic Description 1	Slip Resistant Coating
Net Fill	12 Wt Oz
UPC Code	078254180250
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	6
Case Dimensions	8.25H x 5.75W x 8.25D in
Cases Per Pallet	152
Case Weight	6 lbs
I 2 of 5 Code	30078254180251
Appearance	Yellow Liquid
Flash point (F)	< -2°F
Flash point (C)	< 18.9°C
Flammability Class - CPSC	Extremely Flammable
Spec Gravity Concentrate	0.77 to 0.85
Plastic Safe	No
Evaporation Rate	Fast
Dry Time - Fully Dry	24 Hours
Dry Time - Tack Free	10 Minutes
Recoat	30 Minutes
Coverage	~7 Sq Ft

Last revised: 1/8/2020

Page 1 of 2



**Chemical Solutions to Keep You Moving™**  
f t y o i n • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



## Product Discontinued

Working Temp (F)	50 to 90°F
Working Temp (C)	10 to 32°C
Propellant	Hydrocarbon
Aerosol Flammability Level	III
Military Specification Number	Not Determined
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	41
VOC g/L (Consumer Product def)	316
VOC lbs/gal (Consumer Prod def)	2.6
VOC Category	Aerosol Coating: Slip-Resistant Coating
MIR Limit (EPA)	2.45
MIR Limit (CA)	2.1
MIR Value	1.01
Removal (How To)	Remove: WET paint with mineral spirits or turpentine, DRY paint with lacquer thinner/stripper.

Last revised: 1/8/2020  
Page 2 of 2



**Chemical Solutions to Keep You Moving™**  
f t y i n • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.