



## Upside Down Marking Paints-Caution Blue, 17 Wt Oz

No. 18202 | Item# 1005220 | Case# 1005219

### Product Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

### Color

Caution Blue

### Applications

To identify and code surfaces such as metal, concrete, asphalt, gravel, soil, trees and grass for construction, utility, recreational, municipal and landscaping sites, golf courses, nurseries and surveying.

### Unit Package Description

20 Ounce Aerosol

### Brand

CRC

### Generic Description 1

Upside Down Marking Paints

### Net Fill

17 Wt Oz

### UPC Code

078254182025

### Unit Dimensions

9.25H x 2.63W x 2.63D in

### Units Per Case

6

### Case Dimensions

10H x 5.63W x 8.25D in

### Cases Per Pallet

120

### Case Weight

8 lbs

### I 2 of 5 Code

30078254182026

### Appearance

Blue Liquid

### Flash point (F)

-2°F

### Flash point (C)

-19&#176;C

### Flammability Class - CPSC

Extremely Flammable

### Spec Gravity Concentrate

0.77 to 0.85

### Plastic Safe

Yes

### Dry Time - Fully Dry

1 Hour

### Dry Time - Tack Free

30 Minutes

### Coverage

0 to 700 Linear Feet

### Propellant

Hydrocarbon

Last revised: 7/23/2019

Page 1 of 2



**Chemical Solutions to Keep You Moving™**  
f t y o i n • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	51.8
VOC g/L (Consumer Product def)	534
VOC lbs/gal (Consumer Prod def)	4.45
VOC Category	Aerosol Coating: Ground Traffic/Marking
MIR Limit (EPA)	1.2
MIR Limit (CA)	0.85
MIR Value	0.58
Removal (How To)	Remove: WET paint with mineral spirits or turpentine, DRY paint with lacquer thinner/stripper.

