



Technician Grade Knock'er Loose® Lubricant Penetrant, 18 Wt Oz

No. 401724 | Item# 1006081 | Case# 1006080

Product Description

A super-fast penetrant that attacks corrosion to free rusted & corroded fasteners & components. Powerful, concentrated formula penetrates & leaves behind a long-lasting lubricant that will prevent future corrosion.

Applications

Rusted and frozen metals, such as bolts, hinges, nuts, hinges, exhaust clamps. Can also be used to remove light adhesives and decal. Can also be used as a multi-purpose lubricant.

Unit Package Description

24 Ounce Aerosol

Brand

K&W

Generic Description 1

Super Penetrant

Net Fill

18 Wt Oz

UPC Code

078372017247

Unit Dimensions

9.19H x 3W x 3D in

Units Per Case

12

Case Dimensions

9.75H x 9.25W x 12.25D in

Cases Per Pallet

80

Case Weight

16 lbs

I 2 of 5 Code

10078372017244

Appearance

Light Amber Liquid

Base Type

Petroleum Distillate

Flash point (F)

141°F

Flash point (C)

60.6°C

Flammability Class - CPSC

Flammable

Spec Gravity Concentrate

0.82

Plastic Safe

Safe on Most Plastics (Test small area)

Film Type

Thin, Non-Drying

Evaporation Rate

Slow

Dielectric Strength

60,000 Volts

Last revised: 3/13/2019

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t y o i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	Max 300°F
Working Temp (C)	Max 148.9°C
Propellant	Carbon Dioxide
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	24.1
VOC g/L (Consumer Product def)	197.6
VOC lbs/gal (Consumer Prod def)	1.65
VOC Category	Penetrant
Removal (How To)	Remove with mineral spirits or degreasers etc.

