



## Dielectric Grease, 284 Grams

No. 73082 | Item# 1006170 | Case# 1006169

Product Description	Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.
Applications	Electrical panels, outdoor lighting, scoreboards, traffic lights, high voltage poles, transformers, disconnects, switching mechanisms, electrical contacts, spark plugs, battery terminals, fasteners.
Unit Package Description	16 Ounce (473 ml) Aerosol
Brand	CRC
Generic Description 1	Non Curing Silicone Lubricating Compound
Net Fill	283 Grams
UPC Code	078254730820
Unit Dimensions	19.69H x 6.68W x 6.68D cm
Units Per Case	12
Case Dimensions	20.57H x 21.08W x 28.19D cm
Cases Per Pallet	133
Case Weight	4.99 kg
I 2 of 5 Code	30078254730821
Appearance	Hazy Off-White Liquid
Base Type	Silicone
Flash point (F)	<20°F
Flash point (C)	<-6.7°C
Flammability Class - CPSC	Extremely Flammable
Spec Gravity Concentrate	0.646
Plastic Safe	Not Plastic Safe
Film Type	Non-Curing Silicone Paste
Evaporation Rate	Fast
Dielectric Strength	13,960 Volts
NLGI Grade	2

Last revised: 2/10/2020  
Page 1 of 2





Working Temp (F)	-70 to 400°F
Working Temp (C)	-56.7 to 204.4°C
Propellant	HFC-152a
NSF Category Code	H1
NSF Number	154087
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
Restricted from Sale In:	Not for sale in United States.
Removal (How To)	Remove with Petroleum Distillates.

Last revised: 2/10/2020  
Page 2 of 2



CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.