



Brake Caliper Synthetic Grease, 340 Grams

No. 75353 | Item# 1006383 | Case# 1006382

Product Description	A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.
Applications	Backing plates, brake pad contact points, caliper o-rings, calipers, disc brake pads, drum brake systems, grommets, parking brake areas of lubrication, pivot points, self adjusters
Unit Package Description	12 Ounce (355 ml) Tub With Brush
Brand	CRC
Generic Description 1	Brake Caliper Synthetic Grease
Net Fill	340 Grams
UPC Code	078254753539
Unit Dimensions	10.8H x 10.16W x 10.16D cm
Units Per Case	12
Case Dimensions	12.7H x 31.11W x 40.64D cm
Cases Per Pallet	70
Case Weight	5.0 kg
I 2 of 5 Code	30078254753530
Appearance	Black Semi-Solid Grease
Base Type	Synthetic base with Molybdenum Disulfide, PTFE and Graphite
Flash point (F)	500°F
Flash point (C)	260°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	1.01
NLGI Grade	2
Timken OK Load Lbs.	60 Lbs
Plastic Safe	Not Determined
Evaporation Rate	Slow

Last revised: 3/18/2021

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t y o i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Dielectric Strength	Not Determined
Working Temp (F)	-40 to 495°F (intermittent)
Working Temp (C)	-40 to 257°C (intermittent)
4 Ball EP	Not Determined
4 Ball Wear	0.6 mm
Drop Point	None
Elastomer Compatibility	EPDM
Leakage	None
Oil Separation	Not Determined
Oxidation Stability	Not Determined
Pour Point (F)	-40°F
Pour Point (C)	-29°C
ISO Viscosity Grade	Not Determined
Water Washout	1.68
Worked Penetration	265 to 295
Propellant	None
DOT Proper Shipping Name	Not Regulated
Restricted from Sale In:	Not for sale in United States.
Removal (How To)	Remove with a degreaser or brake cleaner product.

Last revised: 3/18/2021
Page 2 of 2



Chemical Solutions to Keep You Moving™
f t y d in • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.