



## Synthetic Brake & Caliper Grease, 12 Wt Oz

No. SL3303 | Item# 1007902 | Case# 1007901

Product Description	A specially developed synthetic grease with a high-tech formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal to metal contact points and sliding surfaces. Resists moisture and will not washout.
Applications	Backing plates, brake pad contact points, caliper o-rings, calipers, disc brake pads, drum brake systems, grommets, parking brake areas of lubrication, pivot points, self adjusters
Unit Package Description	12 Ounce Tub With Brush
Brand	Sta-Lube
Generic Description 1	Brake Caliper Synthetic Grease
Net Fill	12 Wt Oz
UPC Code	072213330304
Unit Dimensions	4.25H x 4W x 4D in
Units Per Case	12
Case Dimensions	5H x 12.25W x 16D in
Cases Per Pallet	64
Case Weight	11 lbs
I 2 of 5 Code	30072213330305
Appearance	Black Semi-Solid Grease
Base Type	Synthetic base with Molybdenum Disulfide, PTFE and Graphite
Flash point (F)	500°F
Flash point (C)	260°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	1.01
NLGI Grade	2
Timken OK Load Lbs.	60 Lbs
Plastic Safe	Not Determined
Evaporation Rate	Slow

Last revised: 9/11/2020  
Page 1 of 2





Dielectric Strength	Not Determined
Working Temp (F)	-40 to 495°F
Working Temp (C)	-40 to 257°C
4 Ball EP	Not Determined
4 Ball Wear	0.6 mm
Drop Point	None
Elastomer Compatibility	EPDM
Leakage	None
Oil Separation	Not Determined
Oxidation Stability	Not Determined
Pour Point (F)	-40°F
Pour Point (C)	-29°C
ISO Viscosity Grade	Not Determined
Water Washout	1.68
Worked Penetration	265 to 295
Propellant	None
DOT Proper Shipping Name	Not Regulated
VOC % (Consumer Product def)	0.58
VOC g/L (Consumer Product def)	5.62
VOC lbs/gal (Consumer Prod def)	0.04
VOC Category	Not Regulated
Restricted from Sale In:	No State Restrictions
Removal (How To)	Remove with a degreaser or brake cleaner product.

Last revised: 9/11/2020  
Page 2 of 2