



Synthetic Brake & Caliper Grease, 12 Wt Oz

No. SL3303 | Item# 1007902 | Case# 1007901

Product Description A specially developed synthetic grease with a high-tech

formula for use in disc & drum brake systems. High temperature grease is plastic & rubber safe. Use on metal

to metal contact points and sliding surfaces. Resists moisture and will not washout.

Applications

Backing plates, brake pad contact points, caliper o-rings, calipers, disc brake pads, drum brake systems, grommets,

parking brake areas of lubrication, pivot points, self

adjusters

Unit Package Description 12 Ounce Tub With Brush

Brand Sta-Lube

Generic Description 1 Brake Caliper Synthetic Grease

Net Fill 12 Wt Oz

UPC Code 072213330304

Unit Dimensions 4.25H x 4W x 4D in

Units Per Case 12

Case Dimensions 5H x 12.25W x 16D in

Cases Per Pallet 64
Case Weight 11 lbs

I 2 of 5 Code 30072213330305

Appearance Black Semi-Solid Grease

Base Type Synthetic base with Molybdenum Disulfide, PTFE and

Graphite

Flash point (F) 500°F
Flash point (C) 260°C
Flammability Class - CPSC None
Spec Gravity Concentrate 1.01
NLGI Grade 2

Timken OK Load Lbs. 60 Lbs

Plastic Safe Not Determined

Evaporation Rate Slow

Last revised: 9/11/2020

Page 1 of 2







Dielectric Strength

Working Temp (F)

Working Temp (C)

4 Ball EP

Not Determined

-40 to 495°F

-40 to 257°C

Not Determined

4 Ball Wear 0.6 mm

Drop Point None

Elastomer Compatibility EPDM

Leakage None

Oil Separation Not Determined
Oxidation Stability Not Determined

Pour Point (F) -40°F Pour Point (C) -29°C

ISO Viscosity Grade Not Determined

Water Washout 1.68

Worked Penetration 265 to 295

Propellant None

DOT Proper Shipping Name Not Regulated

VOC % (Consumer Product 0.58

def)

VOC g/L (Consumer

Product def)

5.62

VOC lbs/gal (Consumer

Prod def)

0.04

VOC Category Not Regulated

Restricted from Sale In: No State Restrictions

Removal (How To) Remove with a degreaser or brake cleaner product.

Last revised: 9/11/2020

Page 2 of 2

