

Lithium	General Purp	oose Grease	-
B. Britsham A starting starting and groups A starting starting and groups A starting starting and starting A starting starting and starting A starting starting starting A starting starting A starting starting A starting starting A starting starting A	Historycatry (s.) Takini Historycatry (s.) Takini H	NET WEIGHT: 35 Ib (16	_
National Statements of Statements	Method also an ann bail fa shiann Method also ann an All fa ba polai.	2755 J	

Lithium General Purpose Grease, 35 Lbs No. SL3315 | Item# 1007907

Product Description	A high purity, NLGI Grade 2 lithium based grease. Provides superior lubrication & durability in any weather and most temperatures. It is a versatile grease designed for light duty applications requiring a long grease life. Will not break down or run out.
Applications	Hinges, latches, overhead door tracks, open gears, chains, cables, slide conveyors, guide rails, cams, pistons, machinery, tools, & equipment. A break-in lubrication for bearings.
Unit Package Description	35 Pound Pail
Brand	Sta-Lube
Generic Description 1	Lithium General Purpose Grease
Net Fill	35 Lb
UPC Code	072213331509
Unit Dimensions	13.8H x 11.3W x 11.3D in
Units Per Case	1
Case Dimensions	13.8H x 11.3W x 11.3D in
Cases Per Pallet	36
Case Weight	40 lbs
Appearance	Amber Semi-Solid to Solid Grease
Base Type	Lithium-12
Flash point (F)	435°F
Flash point (C)	224°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.9 at 60°F
NLGI Grade	2
Timken OK Load Lbs.	Not Determined
Plastic Safe	Not Determined
Evaporation Rate	Slow
Working Temp (F)	0 to 250°F

CRC

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

Last revised: 5/14/2020

Page 1 of 2



CR@

Working Temp (C)	-18 to 121°C
4 Ball EP	Not Determined
4 Ball Wear	Not Determined
Drop Point	350°F
Elastomer Compatibility	Not Determined
Leakage	Not Determined
Low Temp Torque	Not Determined
Oil Separation	<10%
Oxidation Stability	5
Pour Point (F)	-15°F
Pour Point (C)	-26°C
ISO Viscosity Grade	150
Water Washout	<15%
Worked Penetration	265 to 295
Propellant	None
DOT Proper Shipping Name	Not Regulated
VOC % (Consumer Product def)	Not Determined
VOC g/L (Consumer Product def)	Not Determined
VOC lbs/gal (Consumer Prod def)	Not Determined
VOC Category	Not Regulated
Removal (How To)	Remove with a degreaser or brake cleaner product.



Page 2 of 2



CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.