



## Synthetic Food Grade Grease, 14 Wt Oz

No. SL35610 | Item# 1007928 | Case# 1007927

### Product Description

An NLGI #2 lubricating grease formulated with the highest quality synthetic NSF H1 authorized raw materials available. Because this grease has very high dropping point, it is particularly useful in high temperature applications.

### Applications

Food processing & handling equipment, breweries, canneries, carton/packaging equipment, dairies, & meat processing plants

### Unit Package Description

14 Ounce Cartridge

### Brand

CRC

### Generic Description 1

Synthetic Food Grade Grease

### Net Fill

14 Wt Oz

### UPC Code

072213356106

### Unit Dimensions

9.25H x 2.2W x 2.2D in

### Units Per Case

10

### Case Dimensions

9.5H x 4.5W x 11.38D in

### Cases Per Pallet

150

### Case Weight

9 lbs

### I 2 of 5 Code

30072213356107

### Appearance

Clear, Colorless Grease

### Base Type

Fumed Silica

### Flash point (F)

439°F

### Flash point (C)

226°C

### Flammability Class - CPSC

Combustible

### Spec Gravity Concentrate

0.84

### NLGI Grade

2

### Timken OK Load Lbs.

Not Applicable

### Plastic Safe

Yes

### Evaporation Rate

Very Slow

### Dielectric Strength

Not Applicable

Last revised: 2/4/2020

Page 1 of 2



**Chemical Solutions to Keep You Moving™**

f t y o i n • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	-45 to 350°F
Working Temp (C)	-43 to 177°C
4 Ball EP	Not Applicable
4 Ball Wear	Not Applicable
Drop Point	650°F
Elastomer Compatibility	Not Determined
Leakage	Not Determined
Low Temp Torque	Not Determined
Oil Separation	0.5
Oxidation Stability	5
Pour Point (F)	-63°F
Pour Point (C)	-52.78°C
ISO Viscosity Grade	Not Determined
Water Washout	Not Determined
Worked Penetration	265 to 295
Propellant	None
NSF Category Code	H1
NSF Number	144237
DOT Proper Shipping Name	Not Regulated
VOC % (Consumer Product def)	0
VOC g/L (Consumer Product def)	0
VOC lbs/gal (Consumer Prod def)	0
VOC Category	Not Regulated
Removal (How To)	Remove with a degreaser.

Last revised: 2/4/2020  
Page 2 of 2



**Chemical Solutions to Keep You Moving™**  
f t y o i n • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.