



Food Grade Anti-Seize & Lubricating Compound, 16 Wt Oz
 No. SL35906 | Item# 1007944 | Case# 1007943

| | |
|---------------------------|--|
| Product Description | For applications where incidental food contact is possible. Prevents seizing, galling, rust, corrosion and heat freeze. Non-staining & odorless. NSF H1 registered. Conductive. |
| Applications | Food processing machinery to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces. |
| Unit Package Description | 16 Ounce Brush-Top Bottle |
| Brand | CRC |
| Generic Description 1 | Food Grade Anti Seize & Lubricant Compound |
| Net Fill | 16 Wt Oz |
| UPC Code | 072213359060 |
| Unit Dimensions | 5H x 3.13W x 3.13D in |
| Units Per Case | 12 |
| Case Dimensions | 5.75H x 13.50W x 10.25D in |
| Cases Per Pallet | 44 |
| Case Weight | 13 lbs |
| I 2 of 5 Code | 30072213359061 |
| Appearance | Opaque Off-White Semi-Solid Paste |
| Base Type | Synthetic |
| Flash point (F) | 445°F |
| Flash point (C) | 229°C |
| Flammability Class - CPSC | Not Applicable |
| Spec Gravity Concentrate | 1.21 |
| Plastic Safe | Yes |
| Film Type | Wet |
| Evaporation Rate | Slow |
| Dielectric Strength | Not Determined |
| ISO Viscosity Grade | Not Applicable |
| NLGI Grade | 1 |

Last revised: 5/14/2020
 Page 1 of 2





| | |
|---------------------------------|--|
| Working Temp (F) | -65 to 1800°F |
| Working Temp (C) | -53.9 to 982.2°C |
| Propellant | None |
| NSF Category Code | H1 |
| NSF Number | 131549 |
| Military Specification Number | Meets requirements of Mil-PRF-907E |
| Aerosol Flammability Level | Not Applicable |
| DOT Proper Shipping Name | Not Regulated |
| VOC % (Consumer Product def) | 2.2 |
| VOC g/L (Consumer Product def) | 26.6 |
| VOC lbs/gal (Consumer Prod def) | 0.22 |
| VOC Category | Anti-Seize Lubricant (Non-Aerosol) |
| Removal (How To) | Remove with general purpose degreaser. |

Last revised: 5/14/2020
Page 2 of 2